

1 - Network




Fig. 1




Fig. 2

100 — MAIN PROCESS




Fig. 3




Fig. 4

210 — LOAD OPTIONAL OBJECT




Fig. 5

235 — LOAD REQUIRED ATTRIBUTES




Fig. 6A

245 — LOAD OPTIONAL ATTRIBUTES




Fig. 6B

255 — LOAD CONDITIONAL ATTRIBUTES




Fig. 6C




Fig. 7




Fig. 8A




Fig. 8B




Fig. 8C




Fig. 8D




Fig. 8E




Fig. 8F




Fig. 8G




Fig. 8H

501




Fig. 9A

502




Fig. 9B

503

Protocol Code Generator

Device Profile A

View Required Objects and Select Optional Objects below:

Required Objects	Optional Objects
<input type="checkbox"/> Object Class A	<input checked="" type="checkbox"/> Object Class C
<input type="checkbox"/> Object Class B	<input type="checkbox"/> Object Class E
<input type="checkbox"/> Object Class D	<input checked="" type="checkbox"/> Object Class F
<input type="checkbox"/> Object Class E	<input checked="" type="checkbox"/> Object Class G
	<input type="checkbox"/> Object Class H

Back **Next Step**

Fig. 9C




Fig. 9D

Protocol Code Generator

Object A: Instance Attributes and Services

Select Number of Instances

3

Select Optional Instance Attributes & Services

Instance Attributes

☐ 1- Number of Attributes

☐ 2- Attribute List

☒ 3- Value

☐ 4- Status

☐ 5- Fault Action

Instance Services

☐ 0x0E: Get_Attribute_Single

☐ 0x01: Get_Attributes_All

☒ 0x10: Set_Attribute_Single

☐ 0x02: Set_Attributes_All

☐ 0x05: Reset

Back

Next Step

Fig. 9E